



**Augenti**<sup>®</sup>  
LIGHTING DESIGN

ORION



LIGHT UP  
YOUR  
VIBES  
WITH  
STYLE

ORION **D**



# ORION D

Se il design “è un modo ingenuo per sentirsi un po' più vicini al mistero della bellezza”, questa definizione racchiude tutto il concept della nostra collezione **ORION D**. Possiamo così, anche noi, lasciarci avvolgere dalla forza della bellezza, avendo conferma che, nel nostro lavoro, **fare cose belle e farle bene è un principio fondamentale**, prima ancora di essere una scelta imprenditoriale o una strategia di mercato.

Le **linee architettoniche** della collezione **ORION D** di fatto ne caratterizzano la sua essenza, il fascio luminoso studiato per racchiudere emozione è composto da un'**alternanza di luce e ombra**.

Il paletto **ORION D** è in grado di rispondere, con garbo, alla funzione d'uso, sia in spazi aperti, aree pedonali, piste ciclabili e aree residenziali, raccontando con stile nuove emozioni di luce.

If design “is a naive way to feel a little closer to the mystery of beauty”, this definition includes the whole concept of our **ORION D** collection.

In this way, we too can let ourselves be enveloped by the power of beauty too, having confirm that, in our job, **doing beautiful things and doing them well**, basic principle even before being an entrepreneurial choice or a market strategy.

The **architectural and rigorous lines** of the **ORION D** collection actually characterize its essence, the light beam designed to enclose emotion is composed of an **alternation of light and shadow**.

The **ORION D** bollard is able to gracefully respond to the function of use, both in open spaces, pedestrian areas, cycle paths and residential areas, telling with style new emotions of light.

Si le design “est une manière naïve de se sentir un peu plus proche du mystère de la beauté”, cette définition englobe tout le concept de notre collection **ORION D**.

De cette façon, nous pouvons nous aussi nous laisser envelopper par le pouvoir de la beauté. Ayant confirmé que dans notre travail, **faire de belles choses et bien les faire est un principe fondamental** avant d'être un choix entrepreneurial ou une stratégie de marché.

**Les lignes** de la collection **ORION D** libèrent une émotion particulière créée par **le jeu d'ombre et de lumière** qui alternent et qui créent ainsi une perception toute particulière de la lumière. La borne **ORION D** est ainsi capable d'habiller tous les espaces résidentiels, zones piétonnes ou pistes cyclables avec une lumière à la fois sécurisante et rassurante.



geometrical light  
architectural design



# LIGHT and SHADOW


ORION **D**

geometrical light  
architectural design  
easy installation



Linee architettoniche  
Architectural design  
Conception architecturale



Emissione luminosa DIFFUSORE  
DIFFUSER light emission  
DIFFUSEUR émission lumineuse





# ORION D

Small Poles & Urban Lighting



ORION D  
complete collections



560F1 - H. 680



560F2 - H. 960





 Augenti®

collection



ORION







**ORION D H680**



**ORION D H960**

# Fixture Specifications

Protection . IP 65 - IK 08

Body Pole . Extruded aluminium alloy  
Body/Base . Die-cast aluminium alloy

Screen . Frosted glass


Seals . Closed-cell EPDM rubber

Screws . Stainless steel A2


Paint / Finishing . Anti-corrosive UV stabilised polyester powder



## Finishes



00  
PURE WHITE  
RAL 9016



01  
BLACK  
RAL 9005



10  
WHITE  
RAL 9010




24  
BRONZE



25  
RUST



30  
ANTHRACITE



35  
SLATE GREY



40  
GREY  
RAL 9006

## Assembly

Ground connection system with anchoring brackets to be ordered separately. The orientation is independent of the layout of the ground fixing holes.

## Application



Residential areas






Cycle  
Pedestrian paths



Access areas



Parks  
Gardens



size in millimeters . mm





# ORION D

Small Poles H680 mm - led WHITE

## LED SYSTEM WITH BUILT-IN DRIVER

code	beam	class	W	source	fixture	CCT LED	CRI
<b>560F1</b> /WR35VS	360°	I	14W	1880 lm	1120 lm	3000 K	80
<b>560F1</b> /NR35VS	360°	I	14W	2020 lm	1200 lm	4000 K	80




Diffuse Emission 360°  
Frosted Glass

Dali dimmable on request  
with extra charge



680



Sizes . H 680 x L 160 x W 160



Assembly / Usage  
Ground installation

Ground connection system with  
anchoring brackets to be  
ordered separately

### Specifications





Input Supply 220-240Vac 50/60Hz

# ORION D

Small Poles H960 mm - led WHITE

## LED SYSTEM WITH BUILT-IN DRIVER

code	beam	class	W	source	fixture	CCT LED	CRI
<b>560F2</b> /WR35VS	360°	I	14W	1880 lm	1120 lm	3000 K	80
<b>560F2</b> /NR35VS	360°	I	14W	2020 lm	1200 lm	4000 K	80




Diffuse Emission 360°  
Frosted Glass

Dali dimmable on request  
with extra charge



960



Sizes . H 960 x L 160 x W 160



Assembly / Usage  
Ground installation

Ground connection system with  
anchoring brackets to be  
ordered separately

### Specifications



Input Supply 220-240Vac 50/60Hz





Masseria Corsano (LE) Italy


ORION **D**

Arredo Urbano Urban Lighting Eclairage Urbain






ORION D 570F2



ORION D 570F4



size in millimeters . mm



Fixture Specifications

Protection . IP 65 - IK 08

Body Pole . Extruded aluminium alloy  
Body/Base . Die-cast aluminium alloy

Screen . Frosted glass

Seals . Closed-cell EPDM rubber

Screws . Stainless steel A2

Paint / Finishing . Anti-corrosive UV stabilised polyester powder





Finishes


00 PURE WHITE RAL 9016	01 BLACK RAL 9005	10 WHITE RAL 9010	24 BRONZE
25 RUST	30 ANTHRACITE	35 SLATE GREY	40 GREY RAL 9006

Assembly

Ground connection system with anchoring brackets to be ordered separately. The orientation is independent of the layout of the ground fixing holes.

Application

-   
Residential areas
-   
Cycle  
Pedestrian paths
-   
Access areas
-   
Parks  
Gardens







# ORION D

Urban Lighting H3000 mm - led WHITE

## LED SYSTEM WITH BUILT-IN DRIVER

code	beam	class	W	source	fixture	CCT LED	CRI
<b>570F2</b> /WC50EW	360°	I	35W	4720 lm	2800 lm	3000 K	80
<b>570F2</b> /NC50EW	360°	I	35W	5000 lm	2980 lm	4000 K	80



Diffuse Emission 360°  
Frosted Glass

Dali dimmable on request  
with extra charge

Assembly / Usage  
Ground installation

Ground connection system with anchoring brackets to be ordered separately


### Specifications



Input Supply 220-240Vac 50/60Hz

Sizes . H 3000 x L 250 x W 250

3000





# ORION D

Urban Lighting H4000 mm - led WHITE

## LED SYSTEM WITH BUILT-IN DRIVER

code	beam	class	W	source	fixture	CCT LED	CRI
<b>570F4</b> /WC50EW	360°	I	35W	4720 lm	2800 lm	3000 K	80
<b>570F2</b> /NC50EW	360°	I	35W	5000 lm	2980 lm	4000 K	80



Diffuse Emission 360°  
Frosted Glass

Dali dimmable on request  
with extra charge

Assembly / Usage  
Ground installation

Ground connection system with anchoring brackets to be ordered separately


### Specifications



Input Supply 220-240Vac 50/60Hz

Sizes . H 4000 x L 250 x W 250

4000







Augenti®

ORION D  
Arredo Urbano Urban Lighting Eclairage Urbain



**OUR MISSION**  
in our job, doing beautiful things  
and doing them well, basic principle  
even before being an entrepreneurial  
choice or a market strategy



ORION D

GOOD

INSTALLATION

BY Augenti<sup>®</sup>  
LIGHTING DESIGN





# Augenti®

LIGHTING DESIGN

FRAMON GROUP



**AUGENTI LIGHTING S.R.L.** UNIPERSONALE

Via Francesco Lana, 31 - 25065 Lumezzane (BS) Italy - tel: (+39) 030 7282524 - fax: (+39) 030 7281879  
info@augentilighting.it - www.augentilighting.it